

The content on the UpToDate website is not intended nor recommended as a substitute for medical advice, diagnosis, or treatment. Always seek the advice of your own physician or other qualified health care professional regarding any medical questions or conditions. The use of UpToDate content is governed by the UpToDate Terms of Use. ©2017 UpToDate, Inc. All rights reserved.

## Mesna: Patient drug information

Copyright 1978-2017 Lexicomp, Inc. All rights reserved.

(For additional information see "Mesna: Drug information" and see "Mesna: Pediatric drug information")

Brand Names: US Mesnex

Brand Names: Canada Mesna for injection; Uromitexan

### What is this drug used for?

· It is used to lower the bad effects of some cancer drugs on the bladder.

## What do I need to tell my doctor BEFORE I take this drug?

- If you have an allergy to mesna or any other part of this drug.
- If you are allergic to any drugs like this one, any other drugs, foods, or other substances. Tell your doctor about the allergy and what signs you had, like rash; hives; itching; shortness of breath; wheezing; cough; swelling of face, lips, tongue, or throat; or any other signs.

This drug may interact with other drugs or health problems.

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take this drug with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

## What are some things I need to know or do while I take this drug?

#### All products:

- Tell all of your health care providers that you take this drug. This includes your doctors, nurses, pharmacists, and dentists.
- · Have your urine checked as you have been told by your doctor.
- This drug may affect certain lab tests. Tell all of your health care providers and lab workers that you take this drug.
- If you have high blood sugar (diabetes), some urine ketone tests may be wrong. Talk with your doctor.
- Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using this drug while you are pregnant.

- Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.
  <u>Shot:</u>
- Some products have benzyl alcohol. Do not give a product that has benzyl alcohol in it to a newborn. Talk with the doctor to see if this product has benzyl alcohol in it.

## What are some side effects that I need to call my doctor about right away?

**WARNING/CAUTION:** Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of infection like fever, chills, very bad sore throat, ear or sinus pain, cough, more sputum or change in color of sputum, pain with passing urine, mouth sores, or wound that will not heal.
- Burning.
- Not able to pass urine or change in how much urine is passed.
- Flushing.
- Muscle or joint pain.
- · Very upset stomach or throwing up.
- Feeling very tired or weak.
- Wheezing.
- · Chest pain.
- Shortness of breath.
- A fast heartbeat.
- Blood in the urine.
- Any unexplained bruising or bleeding.
- · Very bad dizziness or passing out.
- Flu-like signs.
- A very bad skin reaction (Stevens-Johnson syndrome/toxic epidermal necrolysis) may happen. It can cause very bad health problems that may not go away, and sometimes death. Get medical help right away if you have signs like red, swollen, blistered, or peeling skin (with or without fever); red or irritated eyes; or sores in your mouth, throat, nose, or eyes.

## What are some other side effects of this drug?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

#### All products:

- Loose stools (diarrhea).
- Hard stools (constipation).
- Upset stomach or throwing up.

- Dizziness.
- · Feeling sleepy.
- Not hungry.
- Hair loss.
- Headache.
- Belly pain.
- Feeling tired or weak.

#### Shot:

• Irritation where the shot is given.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to your national health agency.

## How is this drug best taken?

Use this drug as ordered by your doctor. Read all information given to you. Follow all instructions closely.

#### All products:

• Drink 4 to 8 cups (1 to 2 liters) of fluid per day unless your doctor has told you something else.

Tablet:

• Tell your doctor if you throw up within 2 hours of taking the oral drug. The dose may need to be repeated.

Shot:

• This drug is given as a shot into a vein.

## What do I do if I miss a dose?

• Call your doctor to find out what to do.

# How do I store and/or throw out this drug?

### Tablets:

- Store at room temperature.
- Store in a dry place. Do not store in a bathroom.
  Shot:
- If you need to store this drug at home, talk with your doctor, nurse, or pharmacist about how to store it.
  <u>All products:</u>
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Check with your pharmacist about how to throw out unused drugs.

# General drug facts

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Keep a list of all your drugs (prescription, natural products, vitamins, OTC) with you. Give this list to your doctor.
- Talk with the doctor before starting any new drug, including prescription or OTC, natural products, or vitamins.
- Some drugs may have another patient information leaflet. If you have any questions about this drug, please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

Use of UpToDate is subject to the <u>Subscription and License Agreement</u>.

Topic 11252 Version 103.0