



مركز الكويت لمكافحة السرطان
Kuwait Cancer Control Center

DOCEtaxel (biweekly)



Ministry of Health

Name:

File #:

Ht (cm):

Nationality:

Civil ID:

Wt (Kg):

Gender/Age:

DOB:

BSA (m²):

Indication(s): Multiple malignancies, specify: _____

Central line: Available NA

Allergies: NKA Yes, specify; _____

Parameters: Initiate treatment only If ANC \geq 1500; HB \geq 80; Plt \geq 100,000; CrCl $>$ 45 ml/min.

Preperatory Medications:

Dexamethazone tab 8 mg at 12, 6, and 2 hrs before DOCEtaxel.

Pre-treatment Medications: (30-60 min before starting treatment)

Ondansetron 8 mg PO/IV

Dexamethasone 10 mg PO/IV

Chlorphenamine 10 mg PO/IV

Standard Protocol:

DRUG	DOSE	ADMINISTRATION	DAYS
DOCEtaxel	50 mg/m ²	IV In 250 mL NS over 60 min.	D1, 15
To be repeated every 4 weeks until disease progression or intolerable toxicity.			

Treatment Description:

Cycle	Day	Date	DOCEtaxel	Physician	Consultant
C# __	D1				
	D15				

Cycle	Day	Date	DOCEtaxel	Physician	Consultant
C# __	D1				
	D15				

Cycle	Day	Date	DOCEtaxel	Physician	Consultant
C# __	D1				
	D15				

Important Notes:

Reported grade 3/4 toxicities: None Hematological Non-Hematological

If yes; Did it indicate hospitalization? Yes No

Did it indicate chemo-delay for \geq 7 days? Yes No

Did it indicate dose reduction? Yes No

Did it indicate G-CSF support? Yes No