



مركز الكويت لمكافحة السرطان
Kuwait Cancer Control Center

NAB-PACLitaxel (Abraxane®)



* N P C - 0 0 0 0 0 - 0 4 - C N - M L *



Ministry of Health

Name:

File #:

Ht (cm):

Nationality:

Civil ID:

Wt (Kg):

Gender/Age:

DOB:

BSA (m²):

Indication(s): Early/Late stages Non-Small Cell Lung Cancer.

Metastatic Breast Cancer.

Central line: Available NA

Allergies: NKA Yes, specify; _____

Parameters: Initiate treatment only if ANC \geq 1000; HB \geq 80; Plt \geq 100,000; CrCl $>$ 45 ml/min.

Pre-treatment Medications: (30-60 min before starting treatment)

Ondansetron 8 mg PO/IV

Dexamethasone 10 mg PO/IV

Standard Protocol:

DRUG	DOSE	ADMINISTRATION	DAYS
NAB-PACLitaxel	100 - 125 mg/m ²	IV in 250 mL NS over 30 min.	D1, 8, 15
To be repeated every 4 weeks for 6 cycles.			

Treatment Description:

Cycle	Day	Date	NAB-PACLitaxel	Physician	Consultant
C# __	D1				
	D8				
	D15				

Cycle	Day	Date	NAB-PACLitaxel	Physician	Consultant
C# __	D1				
	D8				
	D15				

Important Notes:

Reported grade 3/4 toxicities: None Hematological Non-Hematological

If yes; Did it indicate hospitalization? Yes No

Did it indicate chemo-delay for \geq 7 days? Yes No

Did it indicate dose reduction? Yes No

Did it indicate G-CSF support? Yes No