



مركز الكويت لمكافحة السرطان
Kuwait Cancer Control Center

PACLI taxel / CARBOplatin (weekly)



* P C L C R B - 0 0 - 0 4 - 0 6 - M L *



Ministry of Health

Name:

File #:

Ht (cm):

Nationality:

Civil ID:

Wt (Kg):

Gender/Age:

DOB:

BSA (m²):

Indication(s): Multiple malignancies, specify: _____

Central line: Available NA

Allergies: NKA Yes, specify; _____

Parameters: Initiate treatment only if ANC \geq 1000; HB \geq 80; Plt \geq 100,000; CrCl $>$ 45 ml/min.

Pre-treatment Medications: (30-60 min before starting treatment)

Ondansetron 8 mg PO/IV

Dexamethasone 10 mg PO/IV

Standard Protocol:

DRUG	DOSE	ADMINISTRATION	DAYS
PACLI taxel	80 mg/m ²	IV in 500 mL D5W glass bottle over 3 hrs.	D1, 8, 15
CARBOplatin	AUC 2	IV in 250 mL D5W over 30 min.	D1, 8, 15

To be repeated every 3 weeks for 6 cycles.

Special instructions: Calvert method was used to calculate CARBOplatin dose based on serum creatinine. In case of AUC 2, the maximum CARBOplatin dose is 300 mg.

Treatment Description:

Cycle	Day	Date	PACLI taxel	CARBOplatin	Physician	Consultant
C# __	D1					
	D8					
	D15					

Cycle	Day	Date	PACLI taxel	CARBOplatin	Physician	Consultant
C# __	D1					
	D8					
	D15					

Important Notes:

Reported grade 3/4 toxicities: None Hematological Non-Hematological

If yes; Did it indicate hospitalization? Yes No

Did it indicate chemo-delay for \geq 7 days? Yes No

Did it indicate dose reduction? Yes No

Did it indicate G-CSF support? Yes No