



مركز الكويت لمكافحة السرطان
Kuwait Cancer Control Center

DOCetaxel / CISplatin



Ministry of Health

Name:

File #:

Ht (cm):

Nationality:

Civil ID:

Wt (Kg):

Gender/Age:

DOB:

BSA (m²):

Indication(s): Subsequent line therapy for advanced stage NSCLC (either squamous or non-squamous).

Central line: Available NA

Allergies: NKA Yes, specify; _____

Parameters: Initiate treatment only If ANC \geq 1500; HB \geq 80; Plt \geq 100,000; CrCl $>$ 45 ml/min.

Preparatory Medications:

Dexamethazone tab 8 mg at 12, 6, and 2 hrs before DOCetaxel.

Pre-treatment Medications: (30-60 min before starting treatment)

Akynzeo 1 Capsule PO (300 mg NETUpitant/0.5 mg PALONOssetron) on Day 1

Dexamethasone 12 mg PO/IV

Chlorphenamine 10 mg PO/IV

Standard Protocol:

DRUG	DOSE	ADMINISTRATION	DAYS
DOCetaxel	75 mg/m ²	IV In 500 mL NS over 60 min.	D1
CISplatin	75 mg/m ²	IV in 1000 mL NS over 60 min	D1
To be repeated every 3 weeks for 6 cycles.			

Treatment Description:

Pre-hydration: 1 Liter NS + KCl 20 mEq + MgSO₄ 8 mEq IV over 1 hrs.

Cycle	Date	DOCetaxel	CISplatin	Physician	Consultant
C# __					

Post-hydration: 1 Liter NS IV over 1 hrs followed by 150 mL Mannitol 20% IV bolus.

Pre-hydration: 1 Liter NS + KCl 20 mEq + MgSO₄ 8 mEq IV over 1 hrs.

Cycle	Date	DOCetaxel	CISplatin	Physician	Consultant
C# __					

Post-hydration: 1 Liter NS IV over 1 hrs followed by 150 mL Mannitol 20% IV bolus.

Important Notes:

Reported grade 3/4 toxicities: None Hematological Non-Hematological

If yes; Did it indicate hospitalization? Yes No

Did it indicate chemo-delay for \geq 7 days? Yes No

Did it indicate dose reduction? Yes No

Did it indicate G-CSF support? Yes No